State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

## High Capacity, School or Wastewater Treatment Plant Well Approval Application

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

Applicant Information								
Application Prepared By (Name and Title) Company								
John Pelke (Well Driller) Pelke Pumbing & Well Drilling Street Address								
NG298 State Huy 25 Darand WT 54736								
Telephone Number Fax Number E-Mail Address								
715 672-5266 715 672-5267 John @ Pelke Numbing Co								
Property Ownership Information								
Property owner, if different than applicant (Name of Person and Title) Company								
Mike Wayne								
Street Address City State ZIP Code								
W4702 Hwy 85 Durand WT 5436								
Telephone Number   E-Mail Address								
715 495-6893								
Well Operator Information								
Well operator if different than owner (Name of Person and Title) Company								
Street Address City State ZIP Code								
Telephone Number E-Mail Address								
Property Information								
Enter the High Capacity Weil File Number below if the property is already a high capacity property. If the property is not designated as a high capacity property at the time of application, enter "NONE." NOTE: Find the file number in upper right hand corner of the most recent high capacity well approve or use the compact disk of departmental well data that is issued to drillers and pump installers. On the compact disk, see "File location" in red print in "Location" section. File number format is as follows: (1 or 2 digits for county) - (1 digit for well classification) - (1 to 4 digits for assigned property no.).								
County  Town  High Capacity Well File No.								
Penin								
Submittal Purpose								
Check all that apply:								
Install one or more new wells with a capacity greater than 70 gallons per minute.								
Install one or more new wells with a capacity less than 70 gallons per minute on a high capacity property.								
Replace one or more wells with a capacity greater than 70 gallons per minute.								
Replace one or more wells with a capacity less than 70 gallons per minute on a high capacity property.								
Reconstruct one or more wells with a capacity greater than 70 gallons per minute.								
Reconstruct one or more wells with a capacity less than 70 gallons per minute on a high capacity property.								
Increase pumping rate in one or more wells to a rate greater than previously approved.								
and the second s								
Request continued operation of high capacity wells after a change in ownership. (No application fee required.)								
Request continued operation of high capacity wells after a change in ownership. (No application fee required.)  Renew a previous approval that has expired.								
Request continued operation of high capacity wells after a change in ownership. (No application fee required.)								

			Form 3300-	256 (R //05)	Page 2 of 6			
Site	Statu	us Information						
ano (	ue iu	e the site status using the internet or the compact disk of departmental well data that formation supplied by the property owner. Internet address is <a href="mailto:dnr.wl.gov/org/water/cowling">dnr.wl.gov/org/water/cowling</a> questions.	is issued to dwg/dws.htm	drillers and pur . Enter YES or	np installers NO for each			
YES	X 00		oval was issu	ed? If the prop	erty is not			
	Ø	Has there been a change in well ownership since the last approval was written?  If YES, name of current owner:  Date of purchase:						
	Ø	Has there been a change in well operator since the last approval was written?  If YES, name of current operator:	Date of cha	ange:				
	Þ	Will a proposed well be connected to a plumbing system that is supplied by other s supply, etc.)? If YES, include a schematic drawing showing backflow protection.	ources (othe	r wells, municip	al			
	Þ	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills compact disk FIND feature. Enter the township, range and section of the well location also check the adjacent section or sections.  If YES, list the landfill site ID Number:  OR  Landfill location: (1)	on. If the we	ll is near a sect	mation ion line,			
	苺	Is a proposed well on a property that has a contaminated site? If YES, list the BRF Redevelopment Tracking System) Number here and specify if the site is open or classical states.	RTS (Bureau osed:					
	內	Is a proposed well on a property that has a groundwater use restriction recorded or number, as assigned to the contaminated site by the DNR remediation and redevel	n the deed? lopment prog	L_I Open If YES, list the gram:	L Closed BRRTS			
	Ø	Is a proposed well on a property that is listed on the department's registry of closed restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?sit here:	f remediation e=brrts. If YE	sites for a ground ES, list the BRR	undwater use TS Number			
	Ø	is a proposed well to be used for a public water supply system that serves 25 or movater system" in the definitions section on page 5.	ore people?	See definition o	f a "public			
	X	Is a proposed well to be installed within a special casing area? Refer to the list of special by the department and/or contact the regional DNR office.		-				
	凶	Has the number of wells or pumping capacity in an existing well increased since the approval was issued?	e most recen	t high capacity	well			
	(X)	Has the number of wells decreased since the most recent high capacity well approx capacity property, check NO.	val? If the pro	perty is not yet	t a high			
	口	Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in	n use?					
	(X)	Will the well discharge directly to a storage pond?						
	D T	Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use	?					
		· ·						
لِـا	(X)							
	(Z)	Are any existing well installations on the high capacity property out of compliance was Administrative Code?	ith Chapter I	NR 812, Wiscon	nsin			
	M	Will the well be used as a source of bottled water?						
	囟	Are you seeking a variance to construct a well that has a capacity of less than 70 g construction standards?	allons per mi	nute to low cap	acity well			

Is the property served by a community water system?

Existing Well Information						
Enter the following information on	all <b>existing</b> wells on the p	roperty, If more than fo	ur wells, submit additio	onal si	neets:	
Well Name Assigned by Well Owner (North Well, etc.):	House Well	Barn Wel	1			
Well Number Assigned by Owner (001, 002, etc.):	/	$\mathcal{Z}$				
WI Unique Well Number or NA if no number:						
Permanent DNR High Capacity Well Number or N/A If none:					· · · · · · · · · · · · · · · · · · ·	
Public Water System ID Number, if Public (if not public, NONE):		A STATE OF THE STA				
Potable or Non-Potable Use:	Potable	Potable				
Type of Well (Irrigation, Industrial, Residential, etc.):	residential	Barn				
Requested Average Water Usage per Day in Gallons:	300	500				
Requested Maximum Water Usage per Day In Gallons:	500	1,000				
Seasonal? (April to October, Year Around, etc.):	year round	year round	)		· · · · · · · · · · · · · · · · · · ·	
Approved Pumping Capacity If Previously Approved (gpm):						
Current Pump Type & Capacity (gpm):	Subm. 10apm	Submersible 10	iem .			
Proposed Pump Type & Capacity If Change Requested (gpm):	711		7			
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):	Ditless	Ditless				
Discharge Location (Building Pressure Tank, Pond, etc.):	BOT	BPT				<del>V</del>
Height of Well Casing Above Ground in Inches:	16"	/8"				
Potential Contaminant Sources and Distance:						
Well Loc: Quarter Quarter Section	SW 1/4 of NW 1/4	542 1/4 of 1 DW 1	/4 1/4 of	1/4	1/4 of	1/4
or Government Lot Number						· · · · · · · · · · · · · · · · · · ·
Section or French Long Lot No.	5 07	5 07				
Township:	T 25 N	T 25 N	T	N	T	N
Range (Select E or W):	R 12 □EØW	R /a DEX		$\overline{}$		De Ow
Latitude (Degrees and Minutes)	44 . 39.48.66	44 . 39.50,81		) 1	,,	<u> </u>
Longitude (Degrees and Minutes)	91 . 53.19.89			,	0	<del></del>
GPS Map Datum (WGS84,			¥	<del></del>	<del></del>	<del></del>
WTM91, etc.) Include as much of the following inform well construction record is attached, a	 nation as practical for wells to policant may leave the follow	hat do not have well const	rucilon records attached	to the	l application, how	ever if the
Date of Construction:	unknown	Lenknown				
Drilled by (Name of Drilling Firm):	CANCAGON	<u>GRENOW</u>		<del></del>		
Drilling Method(s) (Rotary, Percussion, Etc.)						
Well Depth in Feet:						
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:	inches, feet	inches, fe	et inches,	feet	Inches,	feet
Lower Drillhole Diameter In Inches and Depth in Feet:	inches, feet		el inches,	feet	Inches,	feet
Well Casing Diameter in Inches and Depth in Feet:	4 Inches, feet	4	et inches,	feet		
Well Casing Material and Wall Thickness:	sted	Steel Steel	or mones,	1661	inches,	feet
Annular Space Material Between Casing and Drillhote Wall;	J.Cer	JI CEA				
is There a Well Screen (Y or N) If so, Screen Material?:						
	···	<del></del>			I	

Proposed Well Information						·····			
Enter the following information on a Well Name Assigned by Well Owner	ll proposed w	rells on the property	if more than t	us wal	la a a alla const				<del></del>
(North Well, etc.):	irria		1 a DD	MO MBI	is or alternate co	onstruc	tion, submit a	additional st	ieets;
Well Number Assigned by Owner (001, 002, etc.):		43	wed	· · · · · · · · · · · · · · · · · · ·				*	<del></del>
Well Loc: Quarter Quarter Section or French Long Lot Number	SW <sub>1</sub>	14 01 NW 1/4	of Spetion	 ゔ゚゙゙゙゙゙゙゚			***************************************		
or Government Lot Number		., 4, 70 00 114	or section C		1/4	of	1/4 of	Section	
Township & Range (Select E or W	0 T 25	N.R	∑ □E	⊠w	<u> </u>	·····		·	
Latitude (Degrees and Minutes)	44	• 39 43		<u>rdw</u>	1		I, R	LE	v
Longitude (Degrees and Minutes)		.53 2	1.38		<del>                                     </del>	0			1
GPS Map Dalum (WGS84, WTM91, etc.)			<u> </u>			•	<del> </del>		
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: in f	igation	Polable					Potab	ie ·
Drilling Method(s) (Rotacy	0.1	J	X Non-Po	otable	Туре:				otable
Percussion, Etc.): Anticipated Geological Materials and	To all add on the	ory							
Material and Depth Interval:	l .	0			1				
Material and Depth Interval:	San			0			from	0 to	
Material and Depth Interval:	Sandet		0 10 40	<u>)O</u>		<del></del>	from	' to	
Material and Depth Interval:		from	' to				from	' to	
Material and Depth Interval:		from	¹ lo				from	' to	
Drillhole Diameter and Anticipated De	oth intervals:	from	¹ to				from	' to	
Diameter and Depth Interval:	20	4 , 5							
Diameter and Depth Interval:	15"		) 10 6				from	' to	
Diameter and Depth Interval:	<del>                                     </del>	from 60				· · · · ·	from	, to	
Permanent Casing or Liner Diameter a	and Wall Thickn	from ess at Anticipated Di	' to				from	¹ to	
at Depth Interval:	10	1,250 " thick	0 to 6	0 .	" dlam/		H 44-1-1		
Diameter and Wali Thickness at Depth Interval:	" dlam	J li status				<del></del>	" thick	0 ' to	
Permanent Casing or Liner Material, I	f Used:	/ " thick	' to		" dlam/		" thick	' to	
Casing Joints (Welded, T and C, etc.)	w	clibel		I	** · · · · · · · · · · · · · · · · · ·	····			<del></del>
Material and Weight at Depth Interval:	Steel	142,04 lbs/foot	/				<del> </del>		
Material and Welcht	J. C.	7 (5,04 IDS/100)	0 to 6	<u>&gt;Ω'</u>		1	lbs/foot	0 ' to	٠
at Depth Interval: Screen Material, Slot Size in Inches		/ lbs/foot	' to			J	Jbs/foot	' to	
and Depth Interval or N/A If none:		/ "/	' to						*
Casing to Screen Joint (Welded, T and C, K Packer, etc.)							"/	' to	·
Annular Space Material Including Filter	Pack Material,	If Used:					<del></del>	*****	
Material and Depth Interval:	Λ	ement 1	0' to 6	0				<del></del>	
Material and Depth Interval:		1	' to	$\mathcal{C}_{+}$				0' to	
Proposed Average Water Usage Per Day in Gallons:	5	576,00	D 50d					<u>' to</u>	<del></del> ,
Proposed Maximum Water Usage Per Day in Gallons:	1.1	52.000	319						
Seasonal? (April to October, Year Around, etc.):		easonal	<del>- 31~</del>	<del></del>				· · · · · · · · · · · · · · · · · · ·	
Proposed Pump Type & Capacity (gpm):	Lines	_	<b>8</b> ,						<del></del>
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	<u> </u>		as bin	e				····.	
Discharge Location (Building Pressure Tank, Pond, etc.):	<u> 10</u>	P BY C	asing						
Distance and Direction to Nearest Public Utility Well & Well Name:	Di	ver bi	<u> </u>	_			····		
Distance to Other Potential Contaminant Sources:	Duran	X / Dir	iles_	-				<del></del>	·
istance to Other Potential Contaminant Sources:			· · · · · · · · · · · · · · · · · · ·	$\dashv$		· · · · · · · · · · · · · · · · · · ·	·····	<del>-</del>	
eave Blank, for Department use only				-					

## Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; properly boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an Irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- 6. If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

## Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application,

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print		Check Box						
John Pelke		Owner	Agent of the Owner					
Signature // //	Сотрапу		Date					
John Pelhe	Pethe Plum	Gines Well Di	Ming 12-30-13					
Application submittal. Mail completed applicat Section - DG/2, PO Box 7921, Madison WI 53	ion and payment with all required 707-7921.	d attachments to DNR, I	Private Water Systems					
Definitions from Wisconsin Administrative	Codes							
"High capacity well" means a well constructed	on a high capacity property (NO	912 07/543						

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]


"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

well" means a well constructed on a high capacity property. [NR 812.07(51)]





## Maxville truck & repair Practical applications



For All Your Agricultural Truck Needs & Liquid Manure Hauling

S460 State Road 25 • Durand, Wisconsin 54736

Phone: 715-672-7867 • Fax: 715-672-7866 www.maxvilletruck.com

chris@maxvilletruck.com

- Specializing in Live Hydraulic/Hydrostat Systems
- · Set-up Grain, Silage, TMR, Manure Dry & Liquid
- Repair All Truck Repair From Big to Small
- Sales Trucks, Bodies, Hydraulic Parts

Owner / Sales: GERIS LINDSTROM



© DeLorme, XMap® 6. www.delorme.com



